

**AMENDMENTS TO THE CLAIMS**

1. (Previously Presented) An image data capture device for editing captured image data, the device comprising:
  - at least one image data capture element;
  - an image data processor for generating an image file from image data acquired by said capture element; and
  - a user data entry device for enabling a user to modify said generated image file, wherein said at least said one image data capture element, said image data processor, said user data entry device are disposed within a portable container.
2. (Original) The device of claim 1 wherein said image data capture element is included in a digital camera.
3. (Original) The device of claim 1 wherein said image data capture element is included in a scanner.
4. (Original) The device of claim 1 wherein said user data entry device comprises:
  - a pressure-sensitive tablet.
5. (Original) The device of claim 1 wherein said user data entry device comprises:
  - an electromagnetically coupled pen and writing surface.
6. (Previously Presented) The device of claim 1 wherein said user data entry device comprises:
  - means for entering text annotation data into said generated image file.
7. (Previously Presented) The device of claim 1 wherein said user data entry device comprises:
  - means for entering graphical annotation data into said generated image file.

8. (Original) The device of claim 1 further comprising:  
means for entering image file processing instructions to said device.
9. (Original) The device of claim 1 further comprising:  
means for converting handwritten user entries employing said user data entry device  
into machine recognizable data.
10. (Original) The device of claim 1 wherein said user data entry device enables  
superimposition of user data entry on a display of an image file of said generated image files.
11. (Original) The device of claim 1 wherein said user data entry device enables  
annotation of said generated image files by direction.
12. (Original) The device of claim 1 further comprising:  
a communication interface for coupling said device to a network.
13. (Original) A method for annotating information in an image capture device,  
the method comprising the steps of:  
capturing image data within said image capture device;  
receiving user-entered data in connection with selected captured ones of said image  
data;  
annotating said selected ones of said captured image data with said received user-  
entered data; and  
performing said steps of capturing, receiving, and annotating within a portable  
assembly.
14. (Original) The method of claim 13 comprising the further step of:  
providing a network interface within said portable assembly.
15. (Original) The method of claim 13 wherein said annotating step comprises the  
steps of:  
displaying a first image file of selected captured image data;  
superimposing said user-entered data on said displayed first image file; and

providing a continuously updated display of said first image file as modified by said user-entered data.

16. (Original) The method of claim 13 further comprising the step of:  
electronically mailing said annotated selected ones of said at least one image files to  
at least one recipient, said recipient specified in said annotating step.

17. (Original) The method of claim 13 further comprising the step of:  
saving said annotated selected ones of said image data.

18. (Original) The method of claim 17 wherein said step of saving comprises the  
step of:  
transmitting said annotated selected ones of said image data over a public network to  
a node on said public network.

19. (Original) An optical scanner comprising:  
means for capturing image data;  
means for displaying selected image data;  
means for receiving user-entered data in connection with said selected image data;  
means for superimposing said received user-entered data on said displayed selected  
image data; and  
means for annotating said displayed selected image data with said superimposed  
received user-entered data.

20. (Original) The optical scanner of claim 19 further comprising:  
a communication interface for enabling said optical scanner to communicate over a  
data communication network, under at least partial control of said means for annotating.

21. (Original) The optical scanner of claim 19 wherein the means for receiving  
comprises:  
means for receiving handwritten graphical data.